

Images of RS4 (Bone-scraping) residues
using Leica MZ16 and MZFLIII stereomicroscopes; some are extended depth of
focus

The key to the images is at the beginning of the document.

The images published in this pdf are those that were used in the training portion of the experiment reported in Monnier et al. 2012, *J. Arch. Sci.* For questions, please contact Gilliane Monnier at monni003@umn.edu.

Naming conventions: 'RS' = Residue Study; 'D' = Dorsal side; 'V' = Ventral side; 'a', 'b', etc. = residue label; '25', '50', '115' = magnification used



RS4D_a1_composit_scaled.tif



RS4D_a2_composit_scaled.tif



RS4D_a50.jpg



RS4D_a115_a.jpg



RS4D_a115_b.jpg



RS4D_b1_b_LeicaMZ16_composit_scaled.tif



RS4D_b1_SEMcomp_90_composite_s



RS4D_b50.jpg



RS4D_b115_a.jpg



RS4D_b115_b.jpg



RS4D_c50.jpg



RS4D_c115_a.jpg



RS4D_c115_b.jpg



RS4D_d50.jpg



RS4D_d115_a.jpg



RS4D_d115_b.jpg



RS4D_d115_c.jpg



RS4D_e50.jpg



RS4D_e115_a.jpg




RS4D_e115_b.jpg



RS4D_e115_c.jpg




RS4D_e115_d.jpg



RS4D_f50.jpg



RS4D_f115.jpg



RS4D_f115_b.jpg



RS4D_f115_c.jpg



RS4D_g50.jpg



RS4D_g50_b.jpg



RS4D_g115_a.jpg



RS4D_g115_b.jpg



RS4D_g115_c.jpg



RS4D_h50.jpg





RS4D_h115.jpg







RS4D_i50.jpg





RS4D_i115.jpg









RS4D_b50

