Images of RS4 (Bone-scraping) residues

using Hitachi S3500N VP-SEM

The key to the images is at the beginning of the document.

The images published in this pdf are those that were used in the training portion of the experiment reported in Monnier et al. 2012, *J. Arch. Sci*. For questions, please contact Gilliane Monnier at monni003@umn.edu.

Naming conventions: 'RS' = Residue Study; 'D' = Dorsal side; 'V' = Ventral side; 'a', 'b', etc. = residue label; '25', '50', '115' = magnification used

RS4D_a01.TIF


RS4D_a02.TIF


RS4D_a03.TIF


RS4D_a04.TIF


RS4D_a05.TIF


RS4D_b01.TIF

RS4D_b02.TIF

RS4D_c01.TIF

RS4D_c02.TIF

RS4D_c03.TIF

RS4D_f01.TIF


RS4D_f02.TIF


RS4D_f03.TIF

RS4D_f04.TIF

RS4D_f05.TIF

RS4D_f06.TIF

RS4D_f07.TIF

WD10.0mm 12.0kV x180   250um

WD10.0mm 15.0kV x450   100um

WD10.0mm 12.0kV x350 100um

WD10.0mm 12.0kV x400 100um

WD10.0mm 12.0kV x1.5k   20um

WD10.0mm 12.0kV x90   500um

WD10.0mm 12.0kV x700   50um

WD10.0mm 12.0kV x50   1mm

WD10.0mm 12.0kV x500   100um

WD10.0mm 12.0kV x600   50um

WD10.0mm 12.0kV x100   500um

WD10.0mm 12.0kV x200   200um

WD10.4mm 12.0kV x60   500um

WD10.4mm 12.0kV x350   100um

WD10.0mm 12.0kV x1.0k   50um

WD10.0mm 12.0kV x300   100um

WD10.0mm 12.0kV x500   100um